

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	2	"4706081".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 14:18
L7	188	(first near5 address) with unknown	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 14:21
L9	6	(global near2 address) near3 unknown	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 14:23
L10	1	9 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 14:23
L11	904	wlan with roam\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:20
L12	0	(wlan with roam\$3) with (global near2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:21
L13	211	(wlan with roam\$3) with (cellular or gsm or gprs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:21

L14	5	(global near2 address) and 13	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 15:22
L15	0	14 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:22
L16	342	(wlan with roam\$3) same (cellular or gsm or gprs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:22
L17	53	16 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:22
L18	0	(global near2 address) and 17	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 15:23
L19	3	(global near2 address) and ((secure mobility gateway) or SMG)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 15:27
L20	53	17 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:27
L21	3	19 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:27

L23	473	(global address) same private	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 17:52
L24	17	(global address) same (private network) same (public network)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 17:52
L25	4	24 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 17:52
L26	1	regardless with know\$3 with (global near2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 17:59
L27	53	regardless same (know\$3 or unknown) same (global near2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 18:01
L28	25	27 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 18:01
L29	7	unknown near5 (global near2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 18:04
L30	1	29 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 18:04

L31	11	(fast near2 binding) and (global near2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 18:09
L34	58	(access point) with (global address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 18:20
L35	0	34 same (handoff or handover or hand\$off or hand\$over)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 18:21
L36	43	34 and (handoff or handover or hand\$off or hand\$over)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 18:21
L37	42	36 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 18:21
S1	2	"20040264476".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 10:29
S2	1068	455/436,438-444,411.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:36
S3	415	370/331,353.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:34

S4	213	379/142.05,221,220.01,173.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 11:57
S5	78	380/247.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 11:00
S6	317	726/4.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 11:59
S7	146	340/5.8,2.23.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 12:00
S8	867	709/132,229.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 12:01
S10	2882	S2 S3 S4 S5 S6 S7 S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 12:02
S11	104589	(first or second) near3 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 12:22
S12	885	S10 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 12:04

S13	7242	global near3 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 16:30
S14	34	S12 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 12:04
S15	1598690	identif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 12:13
S16	34	S14 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 12:05
S17	3703	direct near3 traffic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 12:05
S18	3	S16 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 12:13
S19	45120	identif\$5 near3 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 12:19
S20	22	S16 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 12:19

S21	573468	((mobile or cell or cellular or wireless or portable) adj (phone or telephone or terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 12:15
S22	10	S20 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 12:15
S23	9559	identif\$5 adj network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 12:19
S24	10	S16 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 12:19
S25	48746	(first and second) near3 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 12:22
S26	8	S24 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 12:25
S27	495384	(rout\$3 or direct\$3) near3 (traffic or information or communication or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 12:28
S28	8	S26 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:21

S29	29572	network adj access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 13:57
S30	7	S28 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 13:57
S31	4738	(network adj access) near3 (point or entity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 13:57
S32	2	S28 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 14:04
S33	2	S13 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 14:04
S34	4	S28 and (firewall or proxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:25
S35	0	S34 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:22
S36	293	"fast binding update" or fbu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:44

S37	0	S34 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:26
S38	0	S28 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:27
S39	0	S24 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:28
S40	214653	access near3 (entity or device or point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:31
S41	4	S34 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:30
S42	9547	access near3 entity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:32
S43	0	S41 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:33
S44	2	"6473411".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:33

S45	3712	370/310.1,310.2,328,331,352,389,392,399,395.21,353.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:35
S46	1259	455/432,436,438-444,411,560.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:37
S47	4784	S45 S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 09:55
S48	149	S42 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:38
S50	0	S48 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:39
S51	116	S48 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:40
S52	51	S25 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:41
S53	6	S23 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:41

S54	10793	"fast binding update" or f\$bu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:44
S55	0	S53 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:44
S56	0	S52 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:45
S57	2	S47 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:45
S58	5	(US-20060184681-\$ or US-20040090937-\$ or US-20020191562-\$).did. or (US-6389010-\$ or US-6473411-\$).did.	US-PGPUB; USPAT	OR	ON	2007/05/15 16:29
S59	0	S58 and tunneling	US-PGPUB; USPAT	OR	ON	2007/05/15 16:29
S60	150	S12 and tunnel\$4	US-PGPUB; USPAT	OR	ON	2007/05/15 16:30
S61	2495	global adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 16:31
S62	1	S60 and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 16:31
S63	6	(unknown near3 (global near3 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:24

S64	0	S47 and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:30
S65	6	((unknown or "not known")near3 (global near3 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:25
S66	6	((unknown or "not known") near3 (global near3 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:29
S67	220	(encapsulat\$4 or tunnel\$4) same (global near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:30
S68	22	S47 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:31
S69	12	S21 and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:31
S70	9	S11 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:32
S71	5	S70 and (hand\$off or hand\$over)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:32

S72	10793	"fast binding update" or f\$bu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 09:56
S73	3	"S447" and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 09:56
S74	4	(US-20020191562-\$ or US-20050226197-\$ or US-20060198372-\$).did. or (US-6992995-\$).did.	US-PGPUB; USPAT	OR	ON	2007/05/16 14:23
S75	10	(US-20060184681-\$ or US-20040090937-\$ or US-20020191562-\$ or US-20010044305-\$ or US-20050226197-\$ or US-20060198372-\$).did. or (US-6389010-\$ or US-6473411-\$ or US-6992995-\$ or US-6970459-\$).did.	US-PGPUB; USPAT	OR	ON	2007/05/16 14:24
S76	35702	message near3 identi\$4	US-PGPUB; USPAT	OR	ON	2007/05/16 14:26
S77	28433	message near2 identi\$4	US-PGPUB; USPAT	OR	ON	2007/05/16 14:25
S78	0	S74 and S77	US-PGPUB; USPAT	OR	ON	2007/05/16 14:26
S79	0	S74 and S76	US-PGPUB; USPAT	OR	ON	2007/05/16 14:26
S80	3	S75 and S77	US-PGPUB; USPAT	OR	ON	2007/05/16 14:30
S81	2338	send\$3 near3 message near3 identify\$3	US-PGPUB; USPAT	OR	ON	2007/05/16 14:32
S82	3712	370/310.1,310.2,328,331,352,389,392,399,395.21,353.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 14:32
S83	1259	455/432,436,438-444,411,560.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 14:32

S84	4784	S82 S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 14:32
S85	65	S81 and S84	US-PGPUB; USPAT	OR	ON	2007/05/16 14:34
S86	7242	global near3 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 14:34
S87	5	S85 and S86	US-PGPUB; USPAT	OR	ON	2007/05/16 14:37
S88	310	S81 and (network adj access)	US-PGPUB; USPAT	OR	ON	2007/05/16 14:38
S89	104589	(first or second) near3 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 14:38
S90	174	S88 and S89	US-PGPUB; USPAT	OR	ON	2007/05/16 14:38
S91	9	S86 and S90	US-PGPUB; USPAT	OR	ON	2007/05/16 14:53
S92	3893	direct\$3 adj traffic	US-PGPUB; USPAT	OR	ON	2007/05/16 14:54
S93	0	S75 and S92	US-PGPUB; USPAT	OR	ON	2007/05/16 14:54
S94	0	S75 and S90	US-PGPUB; USPAT	OR	ON	2007/05/16 14:55
S95	94	S86 and S92	US-PGPUB; USPAT	OR	ON	2007/05/16 14:55
S96	5	S84 and S95	US-PGPUB; USPAT	OR	ON	2007/05/16 14:55

S97	5989	(monitor\$3 or prob\$3 or check\$3 or track\$3) same ((attribute or quality or property or characteristic) near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 16:17
S98	104	S84 and S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 16:18
S99	3406	(monitor\$3 or prob\$3 or check\$3 or track\$3) with ((attribute or quality or property or characteristic) near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 16:17
S100	63	S84 and S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 16:18
S101	44	S100 and identify\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 16:19
S102	34	S101 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 16:20
S103	82545	obtain\$3 adj information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 16:20
S104	7	S102 and S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 16:22

S105	573468	((mobile or cell or cellular or wireless or portable) adj (phone or telephone or terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 16:22
S106	0	S105 and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 16:22
S107	104	("not known" or unknown) near2 ((mobile or wireless or portable) adj (entity or phone or telephone or device or apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:40
S108	0	((("not known" or unknown) near2 ((mobile or wireless or portable) adj (entity or phone or telephone or device or apparatus))) with ("global address" or (global near2 address)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:40
S109	0	((("not known" or unknown) near2 ((mobile or wireless or portable) adj (entity or phone or telephone or device or apparatus))) same ("global address" or (global near2 address)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:22
S110	0	((("not known" or unknown) near2 ((mobile or wireless or portable) adj (entity or phone or telephone or device or apparatus))) and ("global address" or (global near2 address)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:22
S111	1357	455/432,436,438-444,411,560.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 20:50
S112	2	S107 and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:25

S113	12	("not known" or unknown) with ("global address" or (global near2 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:28
S114	0	S113 and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:38
S115	0	S113 and (hand\$off or hand\$over)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:26
S116	6	("not known" or unknown) near3 ("global address" or (global near2 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:26
S117	1	S116 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:27
S118	1	S113 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:38
S119	0	("not known" or unknown) with ("global address" or (global near2 address)) with mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:28
S120	0	("not known" or unknown) with ("global address" or (global near2 address)) with entity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:29

S121	2	("not known" or unknown) same ("global address" or (global near2 address)) same mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:29
S122	0	S121 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:29
S123	184	("not known" or unknown or unaware or "without notifying" or encapsulated) near2 ((mobile or wireless or portable) adj (entity or phone or telephone or device or apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:33
S124	3	S123 and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:41
S125	0	((("not known" or unknown) near2 ((mobile or wireless or portable) adj (entity or phone or telephone or device or apparatus))) and ("global address" or (global near2 address)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:37
S126	4	((("not known" or unknown) near2 ((mobile or wireless or portable) adj (entity or phone or telephone or device or apparatus))) with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:37
S127	0	S126 and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:38
S128	2	S126 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 18:37

S129	60	encapsulat\$4 with ("global address" or (global near2 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 20:51
S130	2	S129 and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:41
S131	109	(network near2 access) with ("global address" or (global near2 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 18:36
S132	2365	mobile near2 entity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 18:29
S133	2	S131 and S132	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 18:30
S134	153794	mobile near2 (entity or agent or device or apparatus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 18:30
S135	27	S131 and S134	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 18:42
S136	3	S135 and unknown	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 18:30

S137	12	(network near2 access) with ("global address" or (global near2 address)) with (first and second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 18:37
S138	5	S137 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 20:25
S139	318219	unaware or unknown	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 18:41
S140	253	S111 and S139	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 18:42
S141	0	S138 and S140	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 18:42
S142	2	S138 and S139	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 18:42
S143	402	fast near2 binding	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 20:24
S144	1	S111 and S143	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 20:19

S145	162	S143 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 20:21
S146	49	fast near2 binding near2 update	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 20:24
S147	3	S146 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 20:25
S148	282	455/437-439.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 20:50
S149	2	S148 and ("global address" or (global near2 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 20:51
S150	93	("4791665" "4933967" "5270701" "5333184" "5369684" "5400390" "5467381" "5467388" "5473681" "5475749" "5506894" "5515427" "5533107" "5539817" "5550910" "5550912" "5550915" "5553129" "5566235" "5583926" "5598464" "5610977" "5625681" "5661792" "5689555" "5696816" "5699416" "5703939" "5724658" "5732131" "5748724" "5757894" "5758281" "5761620" "5764745" "5768358" "5832382" "5839072").PN. OR ("6064887").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/25 21:09
S151	11085	"fast binding update" or f\$bu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 11:00
S152	652	S151 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 11:02

S153	2671	global adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 11:02
S154	0	S152 and S153	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 11:03
S155	8	S151 and S153	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 11:05
S156	863	(fast near3 (hand\$over or hand\$off))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 11:44
S157	946	(global IP address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 11:45
S158	15	S156 S157	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 11:45
S159	2	("20050226197").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 11:49
S160	3	("6907017").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 11:50

S161	6	par same (global address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 12:47
S162	1	par same (global ip address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 12:48
S163	269	(encapsulat\$4 or mask\$3 or tunnel\$4) same (global address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 12:53
S164	70	(encapsulat\$4 or mask\$3 or tunnel\$4) same (global ip address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 12:53
S165	79	(encapsulat\$4 or mask\$3 or tunnel\$4 or unknown) same (global ip address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 12:54
S166	2	((("not" aware) or unaware) with (global near2 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 14:31
S167	14	((("not" aware) or unaware or unknown) with (global near2 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 14:32
S168	4297	370/310.1,310.2,328,331,352,389,392,399,395.21,353.cols. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 14:32

S169	0	S167 and S168	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 14:32
S170	4	"370"/\$.ccls. and S167	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 14:33
S171	6	("20040024901" "6549522" "6636522" "6654359").PN. OR ("6907017").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/03/20 14:40
S172	0	S171 and (gobal near3 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 14:48
S173	211	((global or lp address) with (encapsulat\$4 or transparent or tunnel\$4 or unknown or unaware or ("not" aware)) with (UE or ((mobile or wireless or cell or cellular or portable or hand\$held) adj (phone or telephone or device or unit or terminal))))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 14:56
S174	7	S156 and S173	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 14:57
S175	40	("5987062" "6052725" "6195705" "6215779" "6298060" "6411807" "6421714" "6424653").PN. OR ("6651105").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/03/20 15:01
S176	0	((unknown or masked or transparen\$3) near3 (global near3 address)) with (UE or ((mobile or wireless or cell or cellular or portable or hand\$held) adj (phone or telephone or device or unit or terminal)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 17:40
S177	0	((unknown or masked or transparen\$3) near3 (global near3 address)) same (UE or ((mobile or wireless or cell or cellular or portable or hand\$held) adj (phone or telephone or device or unit or terminal)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 17:40

S178	17	((unknown or masked or transparent\$3) near3 ((global or ip) near3 address)) same (UE or ((mobile or wireless or cell or cellular or portable or handheld) adj (phone or telephone or device or unit or terminal)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 17:41
S179	670	fast near3 binding	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 18:41
S180	194	fast binding	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 18:41
S181	4	(US-20010044305-\$ or US-20070127495-\$).did. or (US-6907017-\$ or US-6651105-\$).did.	US-PGPUB; USPAT	ADJ	ON	2008/03/20 18:42
S182	0	S180 and S181	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 18:43
S183	56	(fast binding) near2 updat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 18:43
S184	62332	("709").CLAS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 18:44
S185	2	S183 S184	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 18:45

S186	13	(global address) with (hand\$over or hand\$off)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/31 10:21
S187	4	S186 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:23
S188	34	(global near3 address) same (hand\$over or hand\$off)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/31 10:29
S189	825	(access near4 router) same (hand\$over or hand\$off)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/31 10:29
S190	16	S188 and S189	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/31 10:29
S191	3	S190 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:30
S192	326	(access near4 router) with (discover\$3 or find\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/31 10:39
S193	129	(access near2 router) near4 (discover\$3 or find\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/31 10:39

S196	83	S193 and "370"/\$.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/31 10:41
S197	8902	(global near3 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/31 10:41
S198	12	S196 and S197	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/31 10:41
S199	4	S198 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:41
S200	34	(global near3 address) same (hand\$over or hand\$off)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/31 10:44
S201	13	S200 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:44
S202	336	(global near3 address) and (hand\$over or hand\$off)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/31 10:46
S203	25	S192 and S202	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/31 10:47

S204	13	S203 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:47
S205	17041	((inter or between) near4 router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:53
S206	266	((inter or between) near4 router) with (hand\$off or hand\$over)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:53
S207	175	((inter or between) near4 router) near5 (hand\$off or hand\$over)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:53
S210	0	((inter or between) near4 router) near5 (hand\$off or hand\$over)) same (global near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:54
S211	8	((inter or between) near4 router) near5 (hand\$off or hand\$over)) and (global near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:55
S212	0	S211 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:55
S213	115	((inter or between) near4 router) near5 (hand\$off or hand\$over)) and (ip near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:56

S214	27	S213 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:56
S215	6	(global near3 address) near3 (unknown or "does not know")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 12:56
S216	14	(global near3 address) with (unknown or "not known")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 12:58
S217	575	370/331,353.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 12:59
S219	20507	"370"/\$.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 12:59
S221	40591	hand\$off or hand\$over	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 12:59
S223	16974	"455"/\$.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 13:00
S225	8971	(global near3 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:01

S226	17	S217 and S225	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:01
S227	264	(fast binding) or f-bu	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:02
S229	5	S223 and S226	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:02
S230	6	(global near3 address) near3 unknown	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:06
S231	11872	(fast binding update) or f\$bu	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:11
S232	13	S225 and S231	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:19
S233	9	S221 and S232	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:21
S234	0	S233 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 13:26

S235	705	((global\$3 near3 rout\$5) near4 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:27
S236	229	S235 and encapsulat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:28
S237	2	S236 and S231	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:28
S238	35	S221 and S236	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 13:29
S239	8	S238 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 13:29
S240	5037	(mobile node) and (global near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 13:34
S241	325	S221 and S240	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 13:34
S242	1593	(mobile node) same (global near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 13:35

S243	1094	(mobile node) with (global near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 13:35
S244	8	(mobile node) with (global near3 address) with (hand\$off or hand\$over)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 13:36
S245	0	S244 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 13:36
S246	23	(mobile node) same (global near3 address) same (hand\$off or hand\$over)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 13:36
S247	9	S246 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 13:37
S248	37398	((private and public) near4 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 14:01
S249	2079	S221 and S248	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 14:01
S250	62	S225 and S249	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 14:02

S251	4681	(unknown or undisclosed or hidden or encapsulated or "not known") near3 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 14:03
S252	10	S250 and S251	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 14:03
S253	4	S252 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 14:03
S254	3566	(hidden or unknown) near3 (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 14:20
S255	40	S223 and S254	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 14:21
S256	8	S221 and S255	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 14:21
S258	80	((binding or rout\$3) near3 table) near4 (net\$5 near2 (identifier or id))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 15:54
S259	7	S221 and S258	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:54

S260	1	S259 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:54
S261	39	((binding or rout\$3) near3 table) near4 (global near3 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 15:57
S262	5	S261 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:58
S263	3	(fast adj binding) with (global near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:02
S264	461	370/331.cols. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:08
S265	1818	(network near2 (id or identifier)) with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:09
S267	3	S264 and S265	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:11
S269	6	(binding near3 table) same (global near3 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 16:17

S270	74	(binding near3 table) and (global near3 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 16:18
S271	16	(binding near3 table) with ((access near2 point) or ap)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 16:21
S272	4	S271 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:21
S273	32	(binding near3 table) and pdsn	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 16:23
S274	4	(binding near3 table) with pdsn	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 16:23
S275	6	(binding near3 table) same pdsn	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 16:23
S276	0	S275 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:23
S277	59	(network near2 (id or identifier)) with (global near2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:31

S278	11	S277 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:32
S280	47	ip near3 (fast near2 (hand\$off or hand\$over))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 16:54
S281	5	((ip near3 (fast near2 (hand\$off or hand\$over))) with router	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 16:54
S282	1	S281 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:55
S283	614	(hand\$off or hand\$over) with (access\$3 near3 router)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 16:57
S285	33	((hand\$off or hand\$over) with (access\$3 near3 router)) and (global near3 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 16:58
S286	1	((hand\$off or hand\$over) with (access\$3 near3 router)) same (global near3 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 16:58
S287	10	S285 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:59

S288	2	"20060062214".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 18:38
S289	22	(US-20020191562-\$ or US-20030086425-\$ or US-20060184681-\$ or US-20050226197-\$ or US-20010044305-\$ or US-20040090937-\$ or US-20060198372-\$ or US-20060209823-\$ or US-20030012204-\$ or US-20070127495-\$ or US-20030225892-\$ or US-20080013487-\$).did. or (US-6389010-\$ or US-6992995-\$ or US-6970459-\$ or US-6473411-\$ or US-6064887-\$ or US-7027582-\$ or US-7010296-\$ or US-6907017-\$ or US-6651105-\$ or US-7340768-\$).did.	US-PGPUB; USPAT	ADJ	ON	2008/11/20 18:47
S290	0	S289 and care\$address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 18:48
S291	4	S289 and care\$of\$address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 18:48
S292	1536	binding near2 update	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 18:51
S293	22	(binding near2 update) with ((network or (base station)) near2 (id or identifier))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 18:53
S294	4	S293 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 18:54
S295	11107	correlat\$3 with (binding)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 19:04

S296	3	correlat\$3 with (binding table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 19:04
S297	139	S292 and correlat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 19:07
S298	6	S297 and S285	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 19:08
S299	1279	network near4 (global near3 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 19:10
S300	41	S299 and ((binding update) or f\$bu)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 19:11
S301	6	S300 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 19:11
S302	8	((((inter or between) near4 router) near5 (hand\$off or hand\$over)) and (global near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 19:17
S304	544	(correlat\$3 or compar\$5) with (binding near3 (update or table))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 19:19

S305	4	S299 and S304	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 19:19
S306	10	(unknown or concealed or hidden or "not known") near3 (global near3 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 19:41
S307	3	S306 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 19:41
S308	2	"6018657".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 22:22
S309	731	ip near2 (hand\$over or hand\$off or handover or handoff)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 07:13
S310	7553	global near2 address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 07:13
S311	0	S309 with S310	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 07:13
S312	1	S309 same S310	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 07:14

S313	40	S309 and S310	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 07:14
S314	16	S313 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 07:14
S315	7	ipv6 and S314	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 08:11
S316	392	unknown near3 (ip near2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 09:03
S317	0	unknown near3 ((ip near2 address) near2 global)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 09:04
S318	1	(unknown near2 (ip near2 address)) with global	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 09:05
S319	111	hid\$3 near3 mobility	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 09:17
S320	40	S319 and ipv6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 09:17

S321	4	S319 same ipv6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 09:17
S322	0	S321 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 09:18
S323	5	S320 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 09:18

4/23/2009 7:54:22 PM

C:\Documents and Settings\agonzalez\My Documents\EAST\Workspaces\10776502.wsp